



TABLE OF CONTENTS

1. INTRODUCTION

1.1	Definition of an Ordinary Standard Bridge	1-1
1.2	Types of Components Addressed in the SDC	1-2
1.3	Bridge Systems	1-2
1.4	Local and Global Behavior	1-3

2. DEMANDS ON STRUCTURE COMPONENTS

2.1	Ground Motion Representation	2-1
2.1.1	Spectral Acceleration	2-1
2.1.2	Horizontal Ground Motion	2-1
2.1.3	Vertical Ground Motion	2-2
2.1.4	Vertical/Horizontal Load Combination	2-2
2.1.5	Damping	2-2
2.2	Displacement Demand	2-3
2.2.1	Estimated Displacement	2-3
2.2.2	Global Structure Displacement and Local Member Displacement	2-4
2.2.3	Displacement Ductility Demand	2-4
2.2.4	Target Displacement Ductility Demand	2-4
2.3	Force Demand	2-8
2.3.1	Moment Demand	2-8
2.3.2	Shear Demand	2-8
2.3.2.1	Column Shear Demand	2-8
2.3.2.2	Pier Wall Shear Demand	2-8
2.3.3	Shear Demand for Capacity Protected Members	2-8



3. CAPACITIES OF STRUCTURE COMPONENTS

3.1	Displacement Capacity of Ductile Concrete Members	3-1
3.1.1	Ductile Member Definition	3-1
3.1.2	Distinction Between Local Member Capacity & Global Structure System Capacity	3-1
3.1.3	Local Member Displacement Capacity	3-1
3.1.4	Local Member Displacement Ductility Capacity	3-3
3.1.4.1	Minimum Local Displacement Ductility Capacity	3-3
3.2	Material Properties for Concrete Components	3-5
3.2.1	Expected Material Properties	3-5
3.2.2	Nonlinear Reinforcing Steel Models for Ductile Reinforced Concrete Members	3-5
3.2.3	Reinforcing Steel A706/A706M (Grade 60/Grade 400)	3-5
3.2.4	Nonlinear Prestressing Steel Model	3-6
3.2.5	Nonlinear Concrete Models for Ductile Reinforced Concrete Members	3-8
3.2.6	Normal Weight Portland Cement Concrete Properties	3-8
3.2.7	Other Material Properties	3-9
3.3	Plastic Moment Capacity for Ductile Concrete Members	3-9
3.3.1	Moment Curvature ($M-\phi$) Analysis	3-9
3.4	Requirements for Capacity Protected Components	3-10
3.5	Minimum Lateral Strength	3-10
3.6	Seismic Shear Design for Ductile Concrete Members	3-11
3.6.1	Nominal Shear Capacity	3-11
3.6.2	Concrete Shear Capacity	3-11
3.6.3	Shear Reinforcement Capacity	3-12
3.6.4	<i>Deleted</i>	3-12
3.6.5	Maximum and Minimum Shear Reinforcement Requirements for Columns	3-13
3.6.5.1	Maximum Shear Reinforcement	3-13
3.6.5.2	Minimum Shear Reinforcement	3-13
3.6.5.3	Minimum Vertical Reinforcement in Interlocking Portion	3-13
3.6.6	Shear Capacity of Pier Walls	3-13
3.6.6.1	Shear Capacity in the Weak Direction	3-13
3.6.6.2	Shear Capacity in the Strong Direction	3-13
3.6.7	Shear Capacity of Capacity Protected Members	3-14
3.7	Maximum and Minimum Longitudinal Reinforcement	3-14
3.7.1	Maximum Longitudinal Reinforcement	3-14

3.7.2	Minimum Longitudinal Reinforcement	3-14
3.7.3	Maximum Reinforcement Ratio	3-14
3.8	Lateral Reinforcement of Ductile Members	3-14
3.8.1	Lateral Reinforcement Inside the Analytical Plastic Hinge Length	3-14
3.8.2	Lateral Column Reinforcement Inside the Plastic Hinge Region	3-15
3.8.3	Lateral Column Reinforcement Outside the Plastic Hinge Region	3-15
3.8.4	Lateral Reinforcement of Pier Walls	3-15
3.8.5	Lateral Reinforcement Requirements for Columns Supported on Type II Pile Shafts	3-15
3.8.6	Lateral Confinement for Type II Pile Shafts	3-15

4. DEMAND VS. CAPACITY

4.1	Performance Criteria	4-1
4.1.1	Global Displacement Criteria	4-1
4.1.2	Demand Ductility Criteria	4-1
4.1.3	Capacity Ductility Criteria	4-1
4.2	P-Δ Effects	4-3
4.3	Component Overstrength Factors	4-3
4.3.1	Column Overstrength Factor	4-3
4.3.2	Superstructure/Bent Cap Demand & Capacity	4-4
4.3.2.1	Longitudinal Superstructure Capacity	4-5
4.3.2.2	Bent Cap Capacity	4-5
4.3.3	Foundation Capacity	4-6

5. ANALYSIS

5.1	Analysis Requirements	5-1
5.1.1	Analysis Objective	5-1
5.2	Analytical Methods	5-1
5.2.1	Equivalent Static Analysis (ESA)	5-1
5.2.2	Elastic Dynamic Analysis (EDA)	5-1
5.2.3	Inelastic Static Analysis (ISA)	5-2
5.3	Structural System “Global” Analysis	5-2



TABLE OF CONTENTS

5.4	Stand-Alone “Local” Analysis	5-3
5.4.1	Transverse Stand-Alone Analysis	5-3
5.4.2	Longitudinal Stand-Alone Analysis	5-4
5.5	Simplified Analysis	5-4
5.6	Effective Section Properties	5-5
5.6.1	Effective Section Properties for Seismic Analysis	5-5
5.6.1.1	I_{eff} for Ductile Members	5-5
5.6.1.2	I_{eff} for Box Girder Superstructures	5-5
5.6.1.3	I_{eff} for Other Superstructure Types	5-5
5.6.2	Effective Torsional Moment of Inertia	5-7
5.7	Effective Member Properties for Non-Seismic Loading	5-7

6. SEISMICITY AND FOUNDATION PERFORMANCE

6.1	Site Assessment	6-1
6.1.1	Seismicity and Foundation Data	6-1
6.1.2	ARS Curves	6-1
6.1.2.1	Standard ARS Curves	6-1
6.1.2.2	Site Specific ARS Curves	6-2
6.2	Foundation Design	6-2
6.2.1	Foundation Performance	6-2
6.2.2	Soil Classification	6-2
6.2.2(A)	Competent Soil	6-3
6.2.2(B)	Poor Soil	6-3
6.2.2(C)	Marginal Soil	6-3
6.2.3	Foundation Design Criteria	6-4
6.2.3.1	Foundation Strength	6-4
6.2.3.2	Foundation Flexibility	6-4

7. DESIGN

7.1 Frame Design	7-1
7.1.1 Balanced Stiffness	7-1
7.1.2 Balanced Frame Geometry	7-2
7.1.3 Adjusting Dynamic Characteristics	7-2
7.1.4 End Span Considerations	7-2
7.2 Superstructure	7-4
7.2.1 Girders	7-4
7.2.1.1 Effective Superstructure Width	7-4
7.2.2 Vertical Acceleration	7-4
7.2.3 Pre-cast Girders	7-6
7.2.4 Slab Bridges	7-6
7.2.5 Hinges	7-6
7.2.5.1 Longitudinal Hinge Performance	7-6
7.2.5.2 Transverse Hinge Performance	7-6
7.2.5.3 Frames Meeting the Requirements of Section 7.1.2	7-6
7.2.5.4 Hinge Seat Width for Frames Meeting the Requirements of Section 7.1.2	7-7
7.2.5.5 Frames Not Meeting the Requirements of Section 7.1.2	7-8
7.2.6 Hinge Restrainers	7-8
7.2.7 Pipe Seat Extenders	7-9
7.2.8 Equalizing Bolts	7-9
7.3 Bent Caps	7-9
7.3.1 Integral Bent Caps	7-9
7.3.1.1 Effective Bent Cap Width	7-9
7.3.2 Non-Integral Bent Caps	7-10
7.3.2.1 Minimum Bent Cap Seat Width	7-10
7.3.3 <i>Deleted</i>	7-10
7.3.4 Bent Cap Depth	7-10
7.4 Superstructure Joint Design	7-10
7.4.1 Joint Performance	7-10
7.4.2 Joint Proportioning	7-10
7.4.2.1 Minimum Bent Cap Width	7-11
7.4.3 Joint Description	7-11
7.4.4 T Joint Shear Design	7-11



TABLE OF CONTENTS

7.4.4.1	Principal Stress Definition	7-11
7.4.4.2	Minimum Joint Shear Reinforcement	7-12
7.4.4.3	Joint Shear Reinforcement	7-13
7.4.5	Knee Joints	7-14
7.5	Bearings	7-18
7.5.1	Elastomeric Bearings	7-18
7.5.2	Sliding Bearings	7-18
7.6	Columns & Pier Walls	7-18
7.6.1	Column Dimensions	7-18
7.6.2	Analytical Plastic Hinge Length	7-18
7.6.3	Plastic Hinge Region	7-19
7.6.4	Multi-Column Bents	7-19
7.6.5	Column Flares	7-19
7.6.5.1	Horizontally Isolated Column Flares	7-19
7.6.5.2	Lightly Reinforced Column Flares	7-20
7.6.5.3	Flare Reinforcement	7-20
7.6.6	Pier Walls	7-20
7.6.7	Column Key Design	7-20
7.7	Foundations	7-21
7.7.1	Footing Design	7-21
7.7.1.1	Pile Foundations in Competent Soil	7-21
7.7.1.2	Pile Foundations in Marginal Soil	7-23
7.7.1.2.1	Lateral Design	7-23
7.7.1.2.2	Lateral Capacity of Fixed Head Piles	7-24
7.7.1.2.3	Passive Earth Resistance for Pile Caps in Marginal Soil	7-24
7.7.1.3	Rigid Footing Response	7-24
7.7.1.4	Footing Joint Shear	7-24
7.7.1.5	Effective Footing Width for Flexure	7-25
7.7.1.6	Effects of Large Capacity Piles on Footing Design	7-25
7.7.2	Pier Wall Pile Foundations	7-26
7.7.2.1	Pier Wall Spread Footing Foundations	7-26
7.7.3	Pile Shafts	7-26
7.7.3.1	Shear Demand on Type I Pile Shafts	7-26
7.7.3.2	Flexure Demand/Capacity Requirements for Type II Pile Shafts	7-27



7.7.3.3 Pile Shaft Diameter	7-27
7.7.3.4 Minimum Pile Shaft Length	7-27
7.7.3.5 Enlarged Pile Shafts	7-27
7.7.4 Pile Extensions	7-27
7.8 Abutments	7-28
7.8.1 Longitudinal Abutment Response	7-28
7.8.2 Transverse Abutment Response	7-30
7.8.3 Abutment Seat Width	7-31
7.8.4 Abutment Shear Key Design	7-31

8. SEISMIC DETAILING

8.1 Splices in Reinforcing Steel	8-1
8.1.1 No Splice Regions in Ductile Components	8-1
8.1.2 Reinforcement Spliced in Ductile Components & Components Expected to Accept Damage ..	8-1
8.1.3 Reinforcement Spliced in Capacity Protected Members	8-1
8.1.4 Hoop and Spiral Reinforcement Splices	8-1
8.2 Development of Longitudinal Column Reinforcement	8-1
8.2.1 Minimum Development Length of Reinforcing Steel for Seismic Loads	8-2
8.2.2 Anchorage of Bundled Bars in Ductile Components	8-2
8.2.3 Flexural Bond Requirements for Columns	8-2
8.2.3.1 Maximum Bar Diameter	8-2
8.2.4 Development Length for Column Reinforcement Extended Into Enlarged Type II Shafts	8-3
8.2.5 Maximum Spacing for Lateral Reinforcement	8-3

APPENDICES

Appendix A Notations & Acronyms	A1-A6
Appendix B ARS Curves	B1-B14
Appendix C Bibliography	C1

**FIGURES**

Figure 2.1	Local-Global Axis Definition	2-2
Figure 2.2	The Effects of Foundation Flexibility on Force-Deflection Curve of a Single Column Bent	2-5
Figure 2.3	The Effects of Bent Cap and Foundation Flexibility on Force-Deflection Curve of a Bent Frame	2-6
Figure 2.4	Pile Shaft Definitions	2-7
Figure 3.1	Local Displacement Capacity – Cantilever Column w/Fixed Base	3-2
Figure 3.2	Local Displacement Capacity – Framed Column, Assumed as Fixed-Fixed	3-3
Figure 3.3	Local Ductility Assessment	3-4
Figure 3.4	Steel Stress Strain Model	3-6
Figure 3.5	Prestressing Strand Stress Strain Model	3-7
Figure 3.6	Concrete Stress Strain Model	3-9
Figure 3.7	Moment Curvature Curve	3-10
Figure 3.8	Concrete Shear Factors	3-12
Figure 4.1	Global Force Deflection Relationship	4-2
Figure 4.2	P-D Effects on Bridge Columns	4-3
Figure 4.3	Superstructure Demand Generated by Column Overstrength Moment	4-5
Figure 4.4	Capacity Provided by Superstructure Internal Resultant Force Couple	4-5
Figure 5.1	EDA Modeling Techniques	5-3
Figure 5.2	Stand-Alone Analysis	5-4
Figure 5.3	Effective Stiffness of Cracked Reinforced Concrete Sections	5-6
Figure 7.1	Balanced Stiffness	7-3
Figure 7.2	Effective Superstructure Width	7-5
Figure 7.3	Equivalent Static Vertical Loads & Moments	7-5
Figure 7.4	Seat Width Requirements	7-7
Figure 7.5	Effective Bent Cap Width	7-9
Figure 7.6	Joint Shear Stresses in T Joints	7-12
Figure 7.7	Location of Vertical Joint Reinforcement	7-14
Figure 7.8	Joint Shear Reinforcement Details	7-15
Figure 7.9	Location of Horizontal Joint Shear Steel	7-16
Figure 7.10	Additional Joint Shear Steel for Skewed Bridges	7-17
Figure 7.11	Footing Force Equilibrium	7-21
Figure 7.12	Simplified Pile Model for Foundations in Competent Soil	7-23
Figure 7.13	Effective Joint Width for Footing Joint Stress Calculation	7-26
Figure 7.14A/ B/ C	Effective Abutment Stiffness/ Area/ Width for Skewed Bridges	7-28/29
Figure 7.15	Abutment Seat Width Requirements	7-31